



Tahmoor Extraction Plan LW S1A-S7A

Land and Agricultural Resource Assessment

Tahmoor Coal

Tahmoor Coal
2975 Remembrance Drive
Bargo NSW 2573 Australia

Prepared by:

SLR Consulting Australia Pty Ltd

SLR Project No.: 650.030173.00001

4 August 2025

Revision: 2.0

Revision Record

Revision	Date	Prepared By	Checked By	Authorised By
1.0	18 July 2025	Scott Williams	Nicholas Barker	April Hudson
2.0 Following Client Comments	04 August 2025	Scott Williams	Nicholas Barker	April Hudson

Basis of Report

This report has been prepared by SLR Consulting Australia Pty Ltd (SLR) with all reasonable skill, care and diligence, and taking account of the timescale and resources allocated to it by agreement with Tahmoor Coal (the Client). Information reported herein is based on the interpretation of data collected, which has been accepted in good faith as being accurate and valid.

This report is for the exclusive use of the Client. No warranties or guarantees are expressed or should be inferred by any third parties. This report may not be relied upon by other parties without written consent from SLR.

SLR disclaims any responsibility to the Client and others in respect of any matters outside the agreed scope of the work.



Table of Contents

Basis of Report	i
1.0 Introduction	1
1.1 Assessment Objective	1
1.1.1 Consultation with Department of Primary Industries	2
2.0 Agricultural and Water Resources	6
2.1 Climate	6
2.2 Topography	6
2.3 Hydrology	8
2.3.1 Surface Water	8
2.3.2 Licenced Surface Water Users	8
2.3.3 Groundwater	8
2.3.4 Licenced Groundwater Users	9
2.4 Geology	10
2.5 Soil Landscape Units	10
2.6 Dominant Soil Types and Inherent Fertility	13
2.7 Acid Sulfate Soils	13
2.8 Vegetation and Land Use	15
2.9 Land and Soil Capability Classification	18
2.9.1 Land and Soil Capability Methodology	18
2.9.2 Determining LSC Classes	19
2.10 Biophysical Strategic Agricultural Land	20
3.0 Local and Regional Agricultural Enterprises	22
3.1 Regional Agricultural History	22
3.2 Agricultural Enterprises and Associated Industries	22
3.2.1 Regional Land Use	22
3.2.2 Regional Employment	24
3.3 Regional Agricultural Production Value	25
3.4 Potential Agricultural Production Value of the Study Area	26
3.5 Regional Agricultural Support Infrastructure	27
4.0 Assessment of Potential Impacts	28
4.1 Land Resources	28
4.1.1 Land Temporarily Removed from Agriculture	28
4.1.2 Land Permanently Removed from Agriculture	28
4.1.3 Acid Sulfate Soils	28



4.1.4 Impact on Biophysical Strategic Agricultural Land	28
4.2 Water Resources.....	28
4.2.1 Surface Water	28
4.2.2 Groundwater	29
4.2.3 Water Reallocation	29
4.2.4 Water Resource Impacts on Agricultural Productivity	29
4.3 Impact on Agricultural Resources from Biodiversity Offsets.....	30
4.4 Other Impacts.....	30
4.4.1 Visual Amenity and Landscape Values.....	30
4.4.2 Tourism	30
4.4.3 Weed Management and Biosecurity	30
4.4.4 Air Quality.....	31
4.4.5 Noise	31
4.4.6 Blasting	31
4.4.7 Traffic	31
4.4.8 Rural Structures	31
4.4.9 Tanks	32
4.4.10 Farm Fencing	32
4.4.11 Farm Dams	32
4.4.12 Surface Water Extraction.....	33
4.4.13 Groundwater Wells and Bores.....	33
4.4.14 Impact on State Forest	33
4.4.15 Poultry Sheds.....	33
4.4.16 Horticulture & Permaculture.....	34
4.4.17 Agricultural Regional Community Impacts	34
4.4.18 Cumulative Impacts.....	35
5.0 Mitigation Measures and Management Strategies	36
5.1 Soil Resources	36
5.2 Surface Water Resources	36
5.3 Groundwater Resources.....	36
5.4 Tanks.....	37
5.5 Farm Fencing.....	37
5.6 Farm Dams.....	37
6.0 Monitoring & Consultation.....	38
7.0 Findings	39



8.0 References.....40

Tables

Table 1 DPI General Comment Register 2
Table 2 Picton Climate Data 6
Table 3 Streams within the Study Area 8
Table 4 Registered Groundwater Users 10
Table 5 Soil Landscape Units 11
Table 6 Dominant Soil Types and Inherent Fertility 13
Table 7 Observed Land Uses 15
Table 8 Land and Soil Capability Classification 18
Table 9 Land and Soil Capability Areas 19
Table 10 Wollondilly LGA Agricultural Land Use 23
Table 11 Wollondilly LGA Employment Related to Agriculture 24
Table 12 Wollondilly LGA Agricultural Related Employment by Sector 24
Table 13 Regional Agricultural Production 26
Table 14 Gross Margin per LSC Class 26
Table 15 Annual Gross Margins per LSC Class 27
Table 16 Gypsum Application Rates 36

Figures

Figure 1 Site Locality 5
Figure 2 Topography and Hydrology 7
Figure 3 Soil Landscape Units 12
Figure 4 Soil Types 14
Figure 5 Potential Grazing Area 17
Figure 6 Land and Soil Capability 21

Photos

Plate 1 Poultry sheds at Site 55 16
Plate 2 Hydroponic Lettuce at Site 54 16



1.0 Introduction

Tahmoor Coal Pty Ltd (Tahmoor Coal) owns and operates Tahmoor Mine, an existing underground coal mine that is located approximately 80 kilometres (km) south-west of Sydney in the Southern Coalfield of New South Wales (NSW). Tahmoor Mine surface facilities are situated between the towns of Tahmoor and Bargo within the Wollondilly Local Government Area (LGA). The mine has previously extracted longwalls to the north and west of the surface facilities and has been operating continuously since 1979 when coal was first mined using bord and pillar mining methods, followed by longwall mining methods since 1987.

Tahmoor Mine produces a primary hard coking coal product and a secondary higher ash coking coal product that are used predominantly for coke manufacture for steel production. Extracted coal is processed on site at the Coal Handling and Preparation Plant (CHPP) and coal clearance facilities prior to transportation via rail to Port Kembla and Newcastle for Australian domestic and export customers.

An Environmental Impact Statement (EIS) was exhibited in early 2019 to gain approval for the Tahmoor South Coal Project, which involves use of the existing surface infrastructure and the expansion of underground longwall mining to the south of the existing workings (referred to as the Tahmoor South Domain). Tahmoor Coal subsequently revised the proposed mine design and submitted amended development applications on three occasions (in February 2020, August 2020 and May 2025). In April 2021, Tahmoor Coal received Development Application Approval (SSD 8445) for the extraction of up to 4 Mtpa of ROM coal, with a total of up to around 33 Mt of ROM coal proposed to be extracted over a 10-year period. In May 2025, Tahmoor Coal received Development Modification Approval (SSD 8445 MOD 3) for Longwall S7A (LW S7A).

The Tahmoor South Domain is located south of the Bargo River and east of Remembrance Driveway and the township of Bargo. Longwall mining would be used to extract coal from the Bulli coal seam within the bounds of Consolidated Coal Lease (CCL) 716 and CCL 747. Twelve longwalls are proposed in this domain which are divided into a series of seven northern (A series) and six southern (B series) longwalls. The A series, Longwalls South 1A to South 7A (LW S1A-S7A), are the focus of the current Extraction Plan update. Extraction of Longwalls S1A, S2A and S3A have been completed. Longwall S4A is scheduled to commence in October 2025.

The locations of LW S1A-S7A, along with the Study Area and regional locality, are shown in **Figure 1**. The Study Area for this assessment comprises the total combined area of the predicted limit of vertical subsidence, taken as the 20 millimetre (mm) subsidence contour (resulting from the extraction of LW S1A-S7A), and the 35 degree angle of draw.

The proposed mine layout for LW S1A-S7A lies within the approved Extent of Longwalls. Minor changes have been made to the mine layout since development consent was received (EIS Layout), as foreshadowed by Tahmoor Coal when it applied for development consent. These changes are all within the predicted extent of the longwall boundaries and are detailed in the Extraction Plan Main Document and the Land Management Plan.

1.1 Assessment Objective

The objective of this Land and Agricultural Resource Assessment is to outline the monitoring and management measures to be implemented to manage these potential subsidence related impacts on agricultural resources, specifically from the extraction of LW S1A-S7A.



This assessment will form part of an Extraction Plan being updated by Tahmoor Coal for LW S1A-S7A for submission to the NSW Department of Planning, Housing and Infrastructure (DPHI). This assessment supersedes the previous Land and Agricultural Resource Assessment completed in 2022 to allow for the inclusion of LW S7A.

1.1.1 Consultation with Department of Primary Industries

Tahmoor Coal received correspondence from DPI on 3 February 2022 as part of consultation for LW S1A-S6A, which noted:

“DPI understands that the company is seeking advice with respect to matters it should consider in the development of the extraction plan. While the DPI does not have any regulatory involvement in this project, we have undertaken a brief review of the agricultural industries in the area and recommend that the company consider the following comments related to agricultural land uses when developing the plan”, shown below in **Table 1**.

Table 1 DPI General Comment Register

DPI General Comments	Tahmoor Coal Response	Specific Section Where Addressed
A full assessment of the agricultural land uses in the area that may be potentially impacted so any agricultural developments and associated enterprises in the area are considered in terms of identified risks and economic disruption particularly with subsidence.	An Agricultural Impact Statement was prepared for the first Amendment Report for SSD 8445 approval. For this Extraction Plan, this document has been prepared to complement the information from the Agricultural Impact Statement and provide any updates on agricultural impacts from the proposed longwalls.	2.8 & 4
Consult with the owners/ managers of affected and adjoining neighbours and agricultural operations in a timely and appropriate manner about; the proposal, the likely impacts and suitable mitigation measures or compensation	Consultation with owners of agricultural businesses in the Study Area has commenced. Tahmoor Coal will continue to consult with the owners during the preparation of the management plans for each individual agricultural business and will monitor and manage potential impacts to the properties in accordance with these management plans. Further information on management plans to be prepared for infrastructure and structures is provided in the Extraction Plan Main Document. In addition, all landowners in the Study Area have been informed by an information packaged delivered by mail of the proposed development and the subsidence impact claims process in the event that their property is damaged by mining.	6



DPI General Comments	Tahmoor Coal Response	Specific Section Where Addressed
Consider possible cumulative effects to agricultural enterprises and landholders from subsidence/ other impacting events.	Given the described impacts are of a minor nature and readily managed through application of appropriate mitigation measures and management strategies, any resulting cumulative impacts on agricultural resources and enterprises are also expected to be minor and readily mitigated.	4.4.18
An assessment of the monitoring regime that will identify any changes as a result of the effects of the long wall mining, especially subsidence, this may include impacts of farm infrastructure i.e. buildings, fences, slope changes, water supply infrastructure. (This may overlap with the other documents noted in your letter).	Tahmoor Coal will consult with the agricultural business owners during the preparation of management plans for each individual agricultural business and will monitor and manage potential impacts to the properties in accordance with these management plans.	6
DPI Poultry Comment		
In relation to the poultry enterprises that exist in the area, that these owner/ managers as well as the processors/owners of the birds be consulted to ensure that production plans can be adjusted if required. This should have at least for 12 month periods of mining activity.	Tahmoor Coal will consult with the agricultural business owners during the preparation of management plans for each individual agricultural business and will monitor and manage potential impacts to the properties in accordance with these management plans.	6
DPI Horticulture Comments		
For protected cropping enterprises (glasshouses) located in the impacted area, the slope of the glasshouses is critical for efficient irrigation so subsidence may be a potential issue. This may also be an issue for other open horticultural enterprises e.g. olives if they are irrigated with a dripper system.	Tahmoor Coal will consult with the agricultural business owners during the preparation of management plans for each individual agricultural business and will monitor and manage potential impacts to the properties (including hothouses and greenhouses) in accordance with these management plans.	4.4.16
Dust can also be an issue for greenhouse/glasshouse light transmission so this needs to be addressed if dust levels are an issue above ground.	The extraction of LW S1A-S7A involves the extraction of seven underground longwall panels and as such there will be no impact to air quality resulting from this extraction activity. All other activities associated with the Tahmoor South Project that have the potential to create dust will be undertaken in accordance with the approved Air and Greenhouse Gas Management Plan for any onsite construction as well as the ongoing operation of Tahmoor Mine.	4.4.4




DPI General Comments	Tahmoor Coal Response	Specific Section Where Addressed
With water quality any increase in the total dissolved salts (TDS) or an increase in sodium level will be a limitation to any horticultural system relying on hydroponics or fertigation.	There is no predicted increase in total dissolved salts or sodium in groundwater bores associated with LW S1A-S6A.	4.2.4

Addressing these comments from DPI on consultation, potential impacts and mitigation measures also forms part of this Land and Agricultural Resource Assessment.

No submissions from DPI were received for the SSD 8445 MOD 3 for LW S7A.



Figure 1 Site Locality



2.0 Agricultural and Water Resources

2.1 Climate

Representative climate data for the Study Area has been obtained from the nearest Bureau of Meteorology (BOM) weather station located at Picton, approximately one km to the north-west of the Study Area (Picton Council Depot, BOM Station 068052, Monthly Climate Statistics).

Picton BOM Station has recorded an average annual rainfall of 797.7 mm, of which approximately 476.1 mm (60%) falls between November and April, with an average of 70.6 rain days in any given year (**Table 2**). Mean monthly maximum temperatures range between 29.3°C and 16.8°C, with January being the warmest month. Mean monthly minimum temperatures range between 15.4°C and 1.7°C, with July being the coldest month.

Table 2 Picton Climate Data

Temperature	Average (Mean)	Annual Range
Minimum temperature	8.8°C	1.7°C – 15.4°C
Maximum temperature	23.4°C	16.8°C – 29.3°C
Rainfall	Average (Mean)	Average Rain Days
Annual Rainfall	797.7 mm	70.6
Wettest month	February 91.0 mm	6.8
Driest month	September 43.5 mm	5.1

The BOM classifies this as a temperate climate zone. The area can be susceptible to occasional heavy showers and thunderstorms due to easterly troughs during warmer months. Summer winds are generally from the south or south-east, with a tendency for afternoon north-easterly winds. During winter, winds are predominantly from the south or south-west.

2.2 Topography


Topography in the region (Wollondilly LGA) is varied, ranging from gently undulating plateaus, ridges and low hills in the upland areas, to a rugged landscape of deeply dissected valleys and gorges within the Hawkesbury Sandstone.

Topography within the Subsidence Study is generally undulating with a fall from the south-west to the north-east (**Figure 2**). The major topographical feature within the Study Area is Teatree Hollow. A spur of the Bargo River valley is present along the south-western site boundary and to the north.

Elevation near the Study Area varies from a low point of approximately 265 metres (m) AHD, in the base of Teatree Hollow, downstream from of the proposed LW S1A, to a high point of approximately 350 m AHD, at the south-western corner of the Study Area to the north-west of the proposed LW S7A. The site starts to fall away to the south-west as the study area reaches the Bargo River valley, to an approximate level of 300 m AHD.



Figure 2 Topography and Hydrology



2.3 Hydrology

2.3.1 Surface Water

The Study Area is located in the catchment of the Hawkesbury-Nepean River, within the sub-catchment of the Nepean River (**Table 2**). The Nepean River rises in the Great Dividing Range to the west of the Study Area. Flows in the upper reaches of the Nepean River are highly regulated by the Upper Nepean Water Supply Scheme, operated by the Water NSW, incorporating four major water supply dams on the Cataract, Cordeaux, Avon and Nepean Rivers. There are no catchment areas or declared special areas within the Study Area. The nearest catchment area is the Metropolitan Special Area, which is located approximately 4.5 km southeast of the proposed longwalls.

There are three dominant drainage channels associated with the Study Area, Hornes Creek, Teatree Hollow and Wirrimbirra Creek, which is a tributary to Teatree Hollow (**Table 3**). Teatree Hollow and Wirrimbirra Creek have flow controlling features along their alignments that include rockbars, riffles, knick points and debris accumulations (MSEC, 2022). Water levels in the downstream section of Hornes Creek are controlled by the Picton Weir (EMM, 2024).

In addition to these drainage channels there are a number of intermittent watercourses and numerous small farm dams. All drainage channels within the Study Area are considered low flow or intermittent channels suggesting that the number of users dependent on flows from these watercourses is limited.

Table 3 Streams within the Study Area

Location	Stream Order	Description
Teatree Hollow	3 rd Order	Located directly above the proposed LW S1A-S7A.
Wirrimbirra Creek (tributary to Teatree Hollow)	3 rd Order	Located directly above the proposed LW S1A-S4A.
Hornes Creek	4 th Order	Located to the south-southwest of LW S7A, within the study area.

2.3.2 Licenced Surface Water Users

The Study Area is located within the Maldon Weir Management Zone of the Upper Nepean and Upstream Warragamba Water Source which is regulated in accordance with the Water Sharing Plan for the Greater Metropolitan Region Unregulated River Water Sources 2011. The NSW Water Register indicates there is one WAL is associated with a property located within the Study Area and one WAL is associated with a property located adjacent to the Bargo River downstream of the Study Area (Tahmoor Coal, 2025).

2.3.3 Groundwater

The Study Area is located within the Sydney Basin porous rock groundwater system (Nepean Groundwater Source, Management Zone 2) which is classed as highly productive. The recognised aquifers/water bearing zones within the area are the:

- Alluvium/sediment aquifers;
- Hawkesbury Sandstone aquifers;
- Narrabeen Group sandstone aquifers; and



- Illawarra Coal Measures water bearing seams.

Alluvium/Sediment Aquifers

Alluvial sediments within the plateau gullies and riverbed are too shallow to be used as aquifers for groundwater supply (Geoterra, 2013).

Hawkesbury Sandstone

The Hawkesbury Sandstone aquifers are the principal groundwater source used within the region due to their significantly higher yields and quality in comparison to other water bearing strata. Due to the lack of fracturing and fault lines within the Hawkesbury Sandstone, the associated aquifers are generally primary permeability aquifers. As a result, yields and quality are highest in recharge areas south of the Nepean River. Groundwater monitored in the Hawkesbury Sandstone piezometers within the Study Area is considered low to brackish salinity (less than 6,895 $\mu\text{S}/\text{cm}$) with acid to circum-neutral pH (3.52 to 7.72). Recorded bore yields in the Hawkesbury Sandstone in the Study Area ranged from 0.22 litres per second to 4.5 litres per second (Geoterra, 2013).

Narrabeen Group and Associated Aquitards

The Narrabeen Group is the other major aquifer within the region, however, the quality and yield is significantly lower than the Hawkesbury Sandstone. The major aquifers are separated by aquitards associated with the Bald Hill Claystone, Stanwell Park Claystone and the Wombarra Claystone. These aquitards exhibit low permeability and limit vertical groundwater flow between the aquifers (Geoterra, 2013).

Illawarra Coal Measures

The Illawarra Coal Measures exhibit low permeability due to their depth and fine-grained associated rock. Water quality within the water bearing coal seams is considered brackish to moderately saline (Geoterra, 2013).

2.3.4 Licenced Groundwater Users

The Study Area is covered by the Greater Metropolitan Groundwater Sources Water Sharing Plan. The Hawkesbury Sandstone is a productive aquifer utilised by landholders for subsidiary water supply. A review of the NSW government's online database to identify registered groundwater bores locally to the study area identified approximately 50 bores within the entire Tahmoor South Domain (SLR, 2024). The Project Bore Census (CES, 2022) identified 27 private bores within the entire Tahmoor South Domain.

However, only five Water NSW registered bores are located within the Study Area, with a further three bores located within the vicinity of the Study Area (**Table 4**) (SLR, 2024). The majority of bores are registered for stock and/or domestic use. Groundwater for these bores is sourced from the Hawkesbury Sandstone Aquifer (SLR, 2022).



Table 4 Registered Groundwater Users

Identifier	Depth (m)	Purpose	Current Use	In Study Area
GW105883	Unknown	Domestic	Water feature & garden irrigation	Outside
GW104323	109	Stock & Domestic	On timer for crop irrigation	Yes
GW032443	130.1	Irrigation	Not currently used	Yes
GW109257	120	Stock & Domestic	Not used, previously used to fill dam	Yes
GW014262	48.8	Stock	Unknown	Yes
GW104659	132	Irrigation	Replenish adjacent dam by timer	Yes
GW111810	142	Stock & Domestic	Used for irrigation via holding tanks	Outside
GW105847	Unknown	Stock & Domestic	Unknown	Outside

2.4 Geology

The Study Area is located within the southern area of the Permo-Triassic Sydney Basin. The main coal bearing sequence is the Illawarra Coal Measures, which contains four workable seams. The upper most seam, located in the north-western part of the Illawarra Coalfield, is the Bulli Seam. Overlying the Bulli Seam is the Hawkesbury Tectonic Stage which is comprised of three stratigraphic units, namely the Narrabeen Group, Hawkesbury Sandstone Group and the Wianamatta Group. The Narrabeen Group overlies the Illawarra Coal Measures and is comprised of interbedded sandstones and claystone units up to 310 m thick. Overlying the Narrabeen Group is the Hawkesbury Sandstone which is comprised of a series of bedded sandstones up to 185 m thick. The Wianamatta Group overlies the Hawkesbury Sandstone and is comprised of shales and siltstones and is relatively thin in comparison.

Another major geological feature is the Bald Hill Claystone which lies at the base of the Hawkesbury Sandstone. The Bald Hill Claystone varies in width to over 25 m, which tends to act as an aquitard.

2.5 Soil Landscape Units

Soil Landscapes Units (SLU) within the Study Area have been mapped by the former NSW Department of Land and Water Conservation, incorporating the NSW Soil Conservation Service (now part of NSW Department of Primary Industries (DPI)), on the *Wollongong – Port Hacking 1:100,000 Sheet* (Hazelton & Tille, 1990) as shown in **Figure 3**. four soil landscapes occur in the Study Area and are summarised in **Table 5**.

Below is a summary of the key agricultural features of each SLU:

- The majority of the Study Area (89%) is highly constrained for cultivation.
- The Gynea, Disturbed Terrain and Hawkesbury SLU are highly to severely constrained for any agricultural enterprises, which covers 4% of the Study Area.
- Agricultural land best suited to grazing enterprises is the Blacktown, SLU which covers 11% of the Study Area.
- Lucas Heights SLU has moderate limitations for grazing and high limitations for cultivation and covers the majority (85%) of the Study Area.




Table 5 Soil Landscape Units

Soil Landscape Unit	Study Area		Agricultural Limitation Rating	
	Hectares	%	Grazing	Cultivation
GyMEA	14	2	High – Severe	High – Severe
Disturbed Terrain	12	1.5		
Hawkesbury	4	0.5		
Sub Total	30	4		
Lucas Heights	701	85	Moderate	High
Blacktown	90	11	Low	Moderate
Total	821	100		

Source: *Soil Landscapes of the Wollongong – Port Hacking 1:100,000 Sheet* (Hazelton & Tille, 1990)



Figure 3 Soil Landscape Units



2.6 Dominant Soil Types and Inherent Fertility

The two dominant Australia Soil Classification (ASC) soil types were digitally mapped by the Office of Environment & Heritage (now the NSW Department of Climate Change, Energy, the Environment and Water) and are shown on **Figure 4**. Three soil types are present in the Study Area, dominated by Kurosols with some smaller areas of Dermosols and Rudosols & Tenosols (**Table 6**). These soil types are summarised in the major points listed below:

- Kurosols are the main soil type within the Study Area. Kurosols are soils with a strong texture contrast between the A horizons and strongly acidic B horizons and often have unusual subsoil chemical attributes such as high magnesium, sodium and aluminium. Kurosols generally have moderately low inherent fertility and comprise 81% of the Study Area.
- Tenosols are a minor soil type within the Study Area comprising 10% of the total area. Tenosols are soils with weak pedologic organisation apart from the A horizons. Tenosols comprise three major soil horizons and the profile is characterised by a sandy to sandy loam texture throughout, generally with moderately low inherent fertility.
- Rudosols comprise <1% of the Study Area and are soils with negligible pedologic organisation, often characterised by a very sandy texture. They are generally young soils which have not had time form structurally with low inherent fertility.
- Dermosols are the remaining soil type within the Study Area comprising 3% of the total area. Dermosols are soils with structured B horizons which lack strong texture contrast between the A and B horizons. Dermosols generally have moderately high inherent fertility and high agricultural potential with good structure and water-holding capacity.
- Areas of mine disturbance are not allocated an ASC soil type and comprise 5% of the Study Area.

Table 6 Dominant Soil Types and Inherent Fertility


Australian Soil Classification	Inherent Fertility	Hectares	%
Kurosol	Moderately Low	669	81
Tenosol	Moderately Low	82	10
Dermosol	Moderately High	25	3
Rudosol	Low	<1	<1
Not Assessed	N/A	44	5
Total		821	100

2.7 Acid Sulfate Soils

The likelihood of acid sulfate soils occurring within the Study Area is very low due to its position away from the coast and potential acid sulfate landform type. Furthermore, none of the Soil Landscape Units mapped within the Study Area have acid sulfate soil potential.



Figure 4 Soil Types



2.8 Vegetation and Land Use

Review of recent aerial images shows only a minor portion of the Study Area comprises of cleared pastoral land (approximately 27%) that may be suitable for agricultural enterprises, as shown in **Figure 5**. The remainder comprises thick native vegetation along riparian zones and steep slopes, along with mine disturbance areas and small holdings used as rural residential land.

Site inspections in June 2013 and December 2017 by SLR’s Principal Agronomist showed several differing agricultural land uses within and adjacent to the Study Area, with poultry production being the main agricultural enterprise. The various land uses at each site were recorded and are shown on **Figure 5** and described in **Table 7**. Plates for each inspection site are shown in **Appendix A**.

Changes in observed land use between the 2013 and 2017 site inspections are highlighted in red. The changes in land use over the four years indicate a shift away from agriculture and an increase toward rural residential areas. No intensive cropping activities were observed at the time of the inspection and assessment.

Table 7 Observed Land Uses

Inspection Site	Land Use
49	Pleasure horses
50	Cattle grazing
51	Cattle feedlot 2013, disused cattle feedlot 2017
52	Pleasure horses
53	Rural residential
54	Hydroponic lettuce and poultry sheds
55	Poultry sheds
56	Cut flower greenhouse 2013, disused cut flower greenhouses 2017
57	Poultry sheds
58	Olives & sheep grazing
59	Irrigated olives & alpaca stud

Grazing is the major agricultural land use within the Study Area (by area) appears to be commonly used as a grass and vegetation management tool rather than an income generating agricultural enterprise. Overall farm size is considered small and many would be classified as hobby farms with a very low potential to produce significant agricultural income. Approximately 182 hectares of potential grazing land is currently available for agricultural use. As previously described in correspondence received from DPI, poultry farms are a significant industry in the area, with three located within and adjacent to the Study Area (**Figure 5**). **Plate 1** and **Plate 2** show two of the intensive agricultural land uses within the area.

Native vegetation, present predominantly in riparian zones within the Study Area, was mapped during the Native Vegetation of Southeast NSW mapping project (Tozer et al., 2006). It includes the Cumberland Shale Sandstone Transition Forest which is listed as an Endangered Ecological community (EEC) under the NSW *Biodiversity Conservation Act 2016* (BC Act) and the Commonwealth *Environment Protection and Biodiversity Conservation Act* (EPBC Act), and a small area of Cumberland River Flat Forest which is listed as an EEC on the BC Act.




Plate 1 Poultry sheds at Site 55



Plate 2 Hydroponic Lettuce at Site 54



Figure 5 Potential Grazing Area



2.9 Land and Soil Capability Classification

2.9.1 Land and Soil Capability Methodology

The Land and Soil Capability (LSC) classification applied to the Study Area was in accordance with the OEH guideline *The Land and Soil Capability Assessment Scheme; Second Approximation* (OEH, 2013). This scheme uses the biophysical features of the land and soil to derive detailed rating tables for a range of land and soil hazards. The scheme consists of eight classes, which classify the land based on the severity of long-term limitations. The LSC classes are described in **Table 8** and their definition has been based on two considerations:

- The biophysical features of the land to derive the LSC classes associated with various hazards.
- The management of the hazards including the level of inputs, expertise and investment required to manage the land sustainably.

Table 8 Land and Soil Capability Classification

Class	Land and Soil Capability
Land capable of a wide variety of land uses (cropping, grazing, horticulture, forestry, conservation)	
1	Extremely high capability land: Land has no limitations. No special land management practices required. Land capable of all rural land uses and land management practices.
2	Very high capability land: Land has slight limitations. These can be managed by readily available, easily implemented management practices. Land is capable of most land uses and land management practices, including intensive cropping with cultivation.
3	High capability land: Land has moderate limitations and is capable of sustaining high-impact land uses, such as cropping with cultivation, using more intensive, readily available and widely accepted management practices. However, careful management of limitations is required for cropping and intensive grazing to avoid land and environmental degradation.
Land capable of a variety of land uses (cropping with restricted cultivation, pasture cropping, grazing, some horticulture, forestry, nature conservation)	
4	Moderate capability land: Land has moderate to high limitations for high-impact land uses. Will restrict land management options for regular high-impact land uses such as cropping, high-intensity grazing and horticulture. These limitations can only be managed by specialised management practices with a high level of knowledge, expertise, inputs, investment and technology.
5	Moderate–low capability land: Land has high limitations for high-impact land uses. Will largely restrict land use to grazing, some horticulture (orchards), forestry and nature conservation. The limitations need to be carefully managed to prevent long-term degradation.
Land capable for a limited set of land uses (grazing, forestry and nature conservation, some horticulture)	
6	Low capability land: Land has very high limitations for high-impact land uses. Land use restricted to low-impact land uses such as grazing, forestry and nature conservation. Careful management of limitations is required to prevent severe land and environmental degradation.
Land generally incapable of agricultural land use (selective forestry and nature conservation)	



Class	Land and Soil Capability
7	Very low capability land: Land has severe limitations that restrict most land uses and generally cannot be overcome. On-site and off-site impacts of land management practices can be extremely severe if limitations not managed. There should be minimal disturbance of native vegetation.
8	Extremely low capability land: Limitations are so severe that the land is incapable of sustaining any land use apart from nature conservation. There should be no disturbance of native vegetation.

2.9.2 Determining LSC Classes

The LSC for the Study Area has been digitally mapped by the OEH and is summarised in **Table 9** and shown in **Figure 6**. The limitations associated with each LSC Class are discussed below.

Table 9 Land and Soil Capability Areas

LSC Class	Agricultural Capability Rating	Hectares	%
4	Moderate	694	84
6	Low	82	10
7	Very Low	<1	<1
98	Nil	44	5
Total		821	100

LSC Class 4 Land

Class 4 land is associated with Dermosols and Kurosols. This classification indicates a moderate land capability, with moderate to severe limitations for some land uses that need to be consciously managed to prevent soil and land degradation. This land is capable of pasture improvement and can be tilled for an occasional crop. LSC Class 4 land comprises the majority (84%) of the Study Area.

LSC Class 6 Land

Class 6 land is associated with Kurosols. The classification indicates low land capability, with very high limitations for high impact land management uses such as cropping. The land is generally more suitable to low impact land uses such as grazing with limitations. LSC Class 6 land comprises 10% of the Study Area.

LSC Class 7 Land

Class 7 land indicates very low capability land, with severe limitations for most land uses. It is generally unsuitable for any type of cropping or grazing due to its limitations. It covers a minor portion of the Study Area (<1%).

Within the Study Area, 16% of the land area is considered to have low to very low agricultural capability according to definitions given in *The Land and Soil Capability Assessment Scheme: Second Approximation* (OEH, 2013), whilst the remainder has moderate to moderately low agricultural capability.




2.10 Biophysical Strategic Agricultural Land

The nearest mapped Biophysical Strategic Agricultural Land (BSAL) according to the *State Environmental Planning Policy (Mining, Petroleum Production and Extractive Industries) 2007 – Strategic Agricultural Land Map – Sheet STA_41* (DPI, 2013) is between Douglas Park and Camden, approximately 20 km to the north-east of the Study Area.



Figure 6 Land and Soil Capability



3.0 Local and Regional Agricultural Enterprises

3.1 Regional Agricultural History

Agriculture within the Wollondilly LGA is based on a foundation of market gardens, orchards, dairy and poultry. Early European settlement saw the establishment of small villages including Picton, Menangle, Thirlmere, Tahmoor, Bargo, and Appin.

Picton is one of the earliest European settlements in the area. Agriculture dates back to when a number of cattle went missing in the early days of the colony and were later found in 1795 by a convict near the Nepean River. This area became known as Cowpastures and then Stonequarry until gaining its current name, Picton, in 1841.

In the 1860's the railway system came to Picton and created a building explosion. The area was proclaimed a municipality in 1895, and in 1939 Wollondilly Shire Council and Picton Municipality amalgamated to create today's LGA (Wollondilly Shire Council, 2020).

Poultry farming was established in in the Wollondilly region during the 1930's. Many Estonian families fled political upheaval in their homeland between 1924 and 1939. Australia offered cheap land and a new life, with many of these people settling at Thirlmere and established poultry farms.

In the late 1940's many Estonians who were caught in European Displaced Persons camps after World War II also chose to come to Australia and were sponsored and supported by the Thirlmere community. They built on their national connections and helped each other to start poultry farming. By the 1960's there were over 60 families from Estonia involved in poultry farming in Thirlmere. Most farms comprised of 2,000 to 4,000 hens.

Estonians pioneered the Cooperative movement in 1912. The Thirlmere Estonians started "KUNGLA", the Thirlmere farmers' Cooperative in 1939 and was continued by the new settlers after the war. This considerably increased the viability and efficiency of the poultry industry until Thirlmere became the largest producer of eggs in Australia by the 1960's (Migration Heritage Centre, 2020).

Today, Wollondilly LGA is predominantly rural area with several national parks, whilst there are urban areas in 15 towns and villages. Two-thirds of the population live in the urban centres, and one-third in the rural areas. There are five large towns, the largest of which is Tahmoor, whilst Picton is the administrative centre. The LGA encompasses a land area of nearly 260,000 hectares, of which approximately 86% is national park, bushland, water catchment or rural land, including gorges, ranges and plains. Most of the rural land is used for agricultural purposes, including market gardens, orchards, dairy farms, poultry farms and grazing (profile.id, 2024).

3.2 Agricultural Enterprises and Associated Industries

3.2.1 Regional Land Use

Agriculture is a minor land use for the regional area (Wollondilly LGA), accounting for 13.8% of land use. (Australian Bureau of Statistics (ABS), 2021 [2021 is the latest regional agricultural data available from ABS]). The agricultural land use is outlined in **Table 10**. It details the area of land used for agriculture in the region and the specific uses of the land. The major points are summarised below:



- Agricultural land is almost exclusively used for grazing, utilising 94% of all agricultural land. The primary enterprise is meat cattle farming, which accounts for 46% of livestock numbers, followed by milk cattle (20%) and sheep farming (31%).
- Cropping enterprises comprise a minor portion of agricultural activities. The primary crops grown are vegetables for human consumption along with fruit and nuts. No cereals for grain are grown in the region.
- Minor irrigation cropping is carried out, comprising only 5% of the agricultural land in the region. Agriculture accounts for 4,328 megalitres of volume to irrigate approximately 1,590 ha of agricultural area, while 981 megalitres is utilised for other agricultural uses, such as poultry production and hydroponic vegetables.
- Poultry comprise a large portion of livestock numbers within the Wollondilly LGA, with 1.59 million birds were recorded at the last census.

Table 10 Wollondilly LGA Agricultural Land Use

Agricultural Land Area	Units	Total
Total land area within LGA	Hectare	255,549
Area of National Parks, nature reserves & other protected lands	Hectare	161,862
Area of agricultural land	Hectare	35,351
Proportion of agricultural land	%	13.8
Agricultural Enterprise		
Land under cropping activities	Hectare	2,020
Land under grazing activities	Hectare	30,729
Proportion of agricultural land used for grazing	%	94
Grazing Enterprises		
	Total	%
Sheep and lambs	4,769	31
Meat cattle	6,844	45
Dairy cattle (excluding house cows)	3,092	20
Pigs	437	3
Total	15,142	100
Cropping Enterprises		
Cereals for grain	Hectare	228
Vegetables for human consumption	Hectare	499
All fruit and nuts	Hectare	2
Total land cropped	Hectare	729
Irrigation		
Area irrigated	Hectare	1,590
Irrigation volume applied	Megalitre	4,328
Other agricultural uses	Megalitre	981
Total water use	Megalitre	5,309
Proportion of agricultural land irrigated	%	7

Source: DAFF (2021) Catchment scale land use profiles



3.2.2 Regional Employment

A summary of the total regional employment and the proportion of agriculture related employment is shown in **Table 11**. The regional employment in the agriculture related sectors is shown in **Table 12**. The major points are summarised below:

- Agriculture is not a major employer within the region; the total of 1,006 persons employed in the direct and indirect agricultural sectors is only 4.59% of the total employed population.
- Agriculture-related wholesaling and retailing is responsible for 40% of agricultural employment, then processing and manufacturing (17%), and agricultural production (43%).
- The major agricultural production employers are floriculture and nursery, beef cattle farming, poultry farming and vegetable growing, which account for 68% employment in agriculture. Horse farming and dairying comprise another 16% of employment in agriculture. All other sectors are minor agricultural employers in the region.
- The main agriculture-related processing and manufacturing is poultry processing, comprising 67% of agricultural related employment.
- Supermarkets and grocery stores account for the vast majority of agricultural related wholesaling and retailing employment, comprising 77% of the agricultural related employment.

Detailed agricultural employment figures are not available for the Study Area; however, the main agricultural activities generating income within and adjacent to the Study Area observed during the site inspection were small scale horse and cattle grazing along with a number of poultry farms and orchards.

Table 11 Wollondilly LGA Employment Related to Agriculture

Employment Sector	No. of persons	%
Total Regional Employment	21,886	100
Direct Regional Agricultural Employment	463	2.11
Indirect Regional Agricultural Employment	543	2.48
Total Regional Employment Related to Agriculture	1,006	4.59

Source: ABS (2021) - 2021 is the latest regional agricultural data available from ABS

Table 12 Wollondilly LGA Agricultural Related Employment by Sector

Agricultural Production	Number of People	%
Beef Cattle Farming (Specialised)	54	13
Poultry Farming	70	16
Horse Farming	35	8
Dairy Cattle Farming	34	8
Other Livestock Farming and Beekeeping	14	3
Vegetable Growing (Outdoors)	78	18
Floriculture and Nursery Production	90	21



Agricultural Production	Number of People	%
Turf Growing	5	1
Other Crop Growing (Grains, fruit and tree nuts, mushrooms etc.)	12	3
Agriculture (Not further defined)	36	8
Subtotal	428	43
Agriculture Related Processing and Manufacturing	Number of People	%
Poultry Processing	118	67
Cereal, Pasta and Baking Mix Manufacturing	0	0
Factory Based Manufacturing Bread, Biscuit, Cake, Pastry	4	2
Meat Processing and Manufacturing (Inc. Cured Meat and Smallgoods)	11	6
Log Sawmilling, Timber Re-sawing and Dressing	16	9
Cheese, Ice-cream, Milk and Other Dairy Product Manufacturing	0	0
Fruit and Vegetable Processing	6	3
Bakery Product Manufacturing (Non-factory based)	8	5
Potato, Corn and Other Crisp Manufacturing	0	0
Food Product Manufacturing (Not further defined)	13	7
Subtotal	176	17
Agricultural Related Wholesaling and Retailing	Number of People	%
Supermarket and Grocery Stores	310	77
Fresh Meat, Fish, Poultry, Smallgoods Retailing and Wholesaling	22	5
Fruit and Vegetable Retailing and Wholesaling	18	4
Grocery, Liquor and Tobacco Product Retailing and Wholesaling	0	0
Food Retailing (Not further defined)	0	0
Timber Wholesaling	0	0
Flower Retailing	6	1
Other Agricultural Product Wholesaling	46	11
Sub total	402	40
Total Agricultural Related Employment	1,006	100

Source: ABS (2021) - 2021 is the latest regional agricultural data available from ABS

3.3 Regional Agricultural Production Value

Agricultural production values for the Wollondilly LGA totals \$86.8 M, detailed in **Table 13**. The main agricultural production by value is from poultry production, both for meat and eggs (livestock slaughtering and livestock products), and vegetables for human consumption



(crops) accounting for almost 63% of the value of agricultural commodities produced (ABS, 2021 [2021 is the latest regional agricultural data available from ABS]).

Table 13 Regional Agricultural Production

Agricultural Production Gross Value	Value (M)	%
Crops	\$32.0	37
Livestock slaughtering	\$41.1	47
Livestock products	\$13.7	16
Total gross agricultural production	\$86.8	100

Source: ABS (2021) - 2021 is the latest regional agricultural data available from ABS

3.4 Potential Agricultural Production Value of the Study Area

Potential agricultural productivity was determined using NSW DPI agricultural gross margin productivity data for agricultural enterprises suitable for each of the LSC classes (see **Section 2.9**) that are present within the Study Area. This analysis has been undertaken on the potential capability of the land rather than current land use. If potential agricultural production values were to be pursued, significant investment in land management and agricultural infrastructure would be required. However, this information can be used to approximate potential farm incomes.

The *Beef Cattle Gross Margin Budget Inland Store Weaners* (DPI, 2025) has been applied to this assessment to determine potential agricultural income for the Study Area. The *NSW Department of Primary Industries Beef Stocking Rates & Farm Size* (DPI, 2006) was used to determine stocking rates in Dry Sheep Equivalents (DSE) for the three LSC's mapped within the Study Area. Full agricultural gross margin information is contained in **Appendix B**.

Table 14 summarises the potential gross margins for each applicable agricultural enterprise per LSC Class. The major points are listed below:

- Class 4 land has the potential to generate approximately \$337 per hectare from beef cattle grazing enterprises (yearling beef production).
- Class 6 land has the potential to generate approximately \$168 per hectare from beef cattle grazing.
- Class 7 land has the potential to generate approximately \$84 per hectare from beef cattle grazing.
- Mine Disturbed land has no agricultural rating and no potential to generate income in its current guise.

Table 14 Gross Margin per LSC Class

LSC	Stocking Rate	Cow & Calf Equivalent	Revenue	Variable Costs	Gross Margin
Class	DSE	Per Hectare	Per Hectare	Per Hectare	Per Hectare
4	8	0.47	\$506	\$170	\$337
6	4	0.24	\$253	\$85	\$168
7	2	0.12	\$127	\$42	\$84



Based on the nominated gross margins, and assuming the required agricultural capital costs and fixed costs are outlaid (not included in the calculations in **Table 14**), the Study Area has the capacity to generate an estimated gross margin of \$247,654 per annum (**Table 15**). It is important to note that these figures are derived from the optimum potential uses and are likely to be higher than the actual incomes being achieved from the area under actual production.

Table 15 Annual Gross Margins per LSC Class

LSC Class	Gross Margin Per Hectare	Study Area	
		Hectares	Gross Margin
4	\$337	694	\$233,878
6	\$168	82	\$13,776
7	\$84	<1	Nil
Total		682	\$247,654

It is expected that income generated from agricultural enterprises within the Study Area would be less than that presented in **Table 13**, due to the small area (182 hectares) available for actual agricultural production (**Figure 5**). The majority of this cleared area is LSC Class 4 and using the gross margin information presented in **Table 14**, beef cattle grazing 182 hectares of LSC Class 4 land has a potential gross margin of \$61,334 per annum.

3.5 Regional Agricultural Support Infrastructure

Agricultural support infrastructure within the Wollondilly LGA includes the Hume Highway as the major arterial road, and rail infrastructure providing transport from agricultural areas in the west, south and north of the state.

The main purpose-built agricultural support infrastructure within the Study Area is a number of large farm dams which are used for cattle and horse grazing areas.

There are two abattoirs located nearby in Tahmoor. Poultry processing is carried out at the Inghams processing facility whilst the Wollondilly Co-op abattoir processes pigs. The closest livestock selling centre is located at Moss Vale, approximately 50 km south-west of the Study Area.

There are a number of small retail agricultural suppliers that service the numerous small hobby farms in the region. Other purpose-built agricultural infrastructure is generally for intensive agricultural enterprises and includes greenhouses and hothouses for cut flower and vegetable production, poultry laying and growing sheds, farm dams and groundwater extraction bores.



4.0 Assessment of Potential Impacts

The primary potential impact to agricultural resources is from subsidence. (MSEC 2024) predicts maximum vertical subsidence to be 1,400 mm after extraction of LW S7A. Maximum predicted tilt is 10 mm per m after extraction of LW S7A which is very small when compared to the natural surface grade of slopes within the Study Area. Overall, the impacts of subsidence from LW S7A are materially the same as previously approved for the Tahmoor South domain (LW S1A-LW S6A), (MSEC 2024). The minor increase in subsidence predictions does not change the existing risk profile previously assessed and approved for the project (MSEC 2024).

4.1 Land Resources

4.1.1 Land Temporarily Removed from Agriculture

Based on the natural landscape contours and the predicted subsidence contours, there is unlikely to be any remnant ponding in the agricultural landscape (Tahmoor Coal, 2024). Therefore, there is no land which will be temporarily removed from agriculture as a result of LW S1A-S6A. The predicted impacts of subsidence from LW S7A are materially the same as previously approved for the Tahmoor South domain MSEC (2024). Therefore, it is considered that the possibility of land being temporarily removed from agriculture to remain as none.

4.1.2 Land Permanently Removed from Agriculture

There is no land which will be permanently removed from agriculture as a result of LW S1A-S7A.

4.1.3 Acid Sulfate Soils

As outlined in **Section 2.7** there are no Soil Landscape Units associated with the Study Area with acid sulfate potential. LW S1A-S7A will not impact upon acid sulfate soils.

4.1.4 Impact on Biophysical Strategic Agricultural Land

There is no Biophysical Strategic Agricultural Land within or adjacent to the Study Area. LW S1A-S7A will not impact any Biophysical Strategic Agricultural Land.

4.2 Water Resources

4.2.1 Surface Water

Based on the previous experience of mining beneath streams at Tahmoor Mine, it is likely that fracturing and surface flow diversions will occur in the sandstone bedrock along the streams over LW S1A-S7A, particularly for streams that are located directly above the proposed longwalls. In some of these locations, the fracturing could impact the holding capacity of the standing pools, particularly those located directly above the proposed longwalls. It is unlikely, however, that there would be any net loss of water from the catchment (MSEC, 2022; MSEC, 2024). Impacts to surface water quality and quantity are anticipated to be negligible, and the current surface water monitoring program for Tahmoor South Domain is considered comprehensive and sufficient (MSEC, 2024).



Given that drainage channels within the Study Area are considered low flow or intermittent channels, the impact on agricultural users dependent on flows from these watercourses is negligible.

4.2.2 Groundwater

The NSW Aquifer Interference (AI) Policy 2012 established a 2 m threshold as the maximum allowable drawdown for 'water supply works' in order to satisfy the considerations for 'minimal harm'.

There are thirteen boreholes assessed that will have a predicted drawdown of greater than 2 m (CES, 2022), however all have a greater available drawdown than the predicted drawdown, allowing continued access to groundwater for irrigation and stock & domestic purposes, these bores are already considered within approved operations (SLR, 2022; SLR, 2024).

4.2.3 Water Reallocation

Tahmoor Mine currently holds a groundwater extraction licence (WAL36442) for a total of 2,642 megalitres, utilised for mine dewatering. However, this water would not be considered as being taken from potential agricultural use as Licence Condition 16 of the licence states 'this is a special purpose (mine de-watering) licence; as such, the licence is including the volumetric groundwater allocation not transferrable, and the licence will be lapsed at the conclusion of mining operations'.

Therefore, whilst Tahmoor Coal currently holds a groundwater extraction licence for 2,642 megalitres, this water would not be considered as being taken from potential agricultural production as the licences are restricted to mine de-watering only. There will be no impact on agricultural users through water reallocation (EMM, 2025).

Tahmoor Coal also currently holds five surface Water Access Licences (WALs) relating to the Maldon Weir and Stonequarry Creek water sources as part of the Greatern Metropolitan Region Unregulated River Water Source. These WALs are held for incidental water take as a result of subsidence-induced fracturing of watercourses (e.g. Stonequarry Creek, Teatree Hollow Creek).

Incidental surface water loss in the Tahmoor South Domain is associated with likely localised reduction in pool water level and streamflow in Teatree Hollow and Teatree Hollow tributary as a result of fracturing in the vicinity of LW S1A-S7A (ATC Williams, 2024). Incidental take from Tahmoor Mine operations in the Teatree Hollow and Teatree Hollow tributary is expected to result in a small net reduction in streamflow conveyed to Bargo River (ATC Williams, 2024).

Whilst Tahmoor Coal currently holds surface water access licences, this water reduction is incidental and would not be considered a significant impact on agricultural users through water reallocation. Impacts to surface water quantity are anticipated to be negligible, and the current surface water monitoring program for Tahmoor South Domain is considered comprehensive and sufficient (MSEC, 2024).

4.2.4 Water Resource Impacts on Agricultural Productivity

Given the impacts described previously, longwall subsidence will result in limited impacts on water resources relied upon by agricultural enterprises and should not result in impacts on agricultural productivity. There is no predicted increase in total dissolved salts or sodium in groundwater bores associated with LW S1A-S6A (SLR, 2022). The impacts of S7A are not predicted to impact on environmental receptors (SLR, 2024).



4.3 Impact on Agricultural Resources from Biodiversity Offsets

A regional Biodiversity Offset Strategy (BOS) has been proposed by Tahmoor Coal to offset the loss of vegetation from clearing associated with the construction of the new surface facilities required to support the Tahmoor South Project. The Biodiversity Assessment Report (Niche, 2020) identifies five proposed biodiversity offset sites comprising 381 hectares, for the BOS:

- Rockford Road;
- Pit Top;
- 185 Charlies Point Road;
- Bargo Colliery Land; and
- 220 Charlies Point Road.

None of the identified sites are on potentially agriculturally productive land, and all are heavily timbered with native bushland. Therefore, the BOS will have negligible impact on agricultural resources, enterprises or BSAL.

The extraction of LW S1A-S7A is not expected to result in the establishment of any further biodiversity offsets; therefore, there will be no impact to agricultural resources resulting from biodiversity offsets.

4.4 Other Impacts

4.4.1 Visual Amenity and Landscape Values

Site inspection during 2013 and 2017 by SLR's Principal Agronomist did not identify any agricultural enterprises which were reliant upon visual amenity or landscape values as component of their operations. On this basis, the extraction of LW S1A-S7A is considered to have negligible impact on visual amenity and landscape value relied upon by local and regional agricultural enterprises.

4.4.2 Tourism

The assessment has not identified any tourism infrastructure within the local area upon which agricultural enterprises are reliant. Therefore, LW S1A-S7A is not anticipated to impact on agriculture-related tourism.

4.4.3 Weed Management and Biosecurity

There is no risk from weed infestation during the extraction of LW S1A-S7A through vehicle movements on and off site. Weeds are currently managed within the frameworks of the Tahmoor Coal Environmental Management System.

Biosecurity is defined in the NSW Biosecurity Strategy 2013 – 2021 (NSW DPI, 2013) as 'protecting the economy, environment and community from the negative impacts of pests, diseases and weeds'. It includes measures to prevent new pests, diseases and weeds from entering our country and becoming established. On a regional level, appropriate weed management will reduce biosecurity risks.

The vast majority of equipment used at Tahmoor Mine is site-dedicated and poses no biosecurity risk. Any import of equipment or machinery from interstate or overseas will follow the standard procurement safeguards and quarantine procedures as per NSW and Australian requirements.



Given the processes above, it is considered the extraction of LW S1A-S7A has negligible risk to the biosecurity of agricultural resources and enterprises within the region.

4.4.4 Air Quality

The extraction of LW S1A-S7A involves the extraction of seven underground longwall panels and as such there will be no impact to air quality resulting from LW S1A-S7A.

All other activities associated with the Tahmoor South Project that have the potential to create dust will be undertaken in accordance with the approved Air and Greenhouse Gas Management Plan for any onsite construction as well as the ongoing operation of Tahmoor Mine.

4.4.5 Noise

The extraction of LW S1A-S7A involves the extraction of seven underground longwall panels and as such there will be no impacts to agricultural production from noise generated during the extraction of LW S1A-S7A.

All other activities associated with the Tahmoor South Project that have the potential to generate noise will be undertaken in accordance with the approved Noise Management Plan for any onsite construction as well as the ongoing operation of Tahmoor Mine.

4.4.6 Blasting

The extraction of LW S1A-S7A does not involve any blasting on the surface and as such there will be no impact to agricultural resources from blasting.

All other activities associated with the Tahmoor South Project that have the potential to generate noise will be undertaken in accordance with the approved Noise Management Plan for any onsite construction as well as the ongoing operation of Tahmoor Mine.

4.4.7 Traffic

The extraction of LW S1A-S7A involves the extraction of seven underground longwall panels with no increased surface traffic movements, and as such the impact to agricultural resources as a result of increased traffic movements is considered negligible.

All other activities associated with the Tahmoor South Project that have the potential to increase surface traffic movements will be undertaken in accordance with the approved Traffic Management Plan for any onsite construction as well as the ongoing operation of Tahmoor Mine.

4.4.8 Rural Structures

The majority of rural structures within the Study Area are of lightweight construction and are expected to tolerate mining induced tilt. It has been found from past longwall mining experience that tilts of the magnitudes predicted for LW S1A-S7A generally have limited adverse impacts on rural structures. Some minor serviceability impacts could occur at the higher levels of tilt, including door swing and issues with roof and pavement drainage. These serviceability impacts can generally be remediated using normal building maintenance techniques (MSEC, 2024).



Impacts on the rural structures that occur as the result of the extraction of the proposed longwalls are expected to be remediated using well established building techniques and it is unlikely that there would be long term impacts on rural structures resulting from the extraction LW S1A-S7A. It is considered that rural structures can be maintained at all times during the extraction of the proposed longwalls, even if actual subsidence movements were greater than the predictions or substantial non-conventional movements occurred (MSEC, 2024).

4.4.9 Tanks

There are water, gas and fuel storage tanks on some of the properties within the LW S1A-S6A Study Area. There are 74 tanks which have been identified within MSEC's Subsidence Study Area, just less than half of which are not directly above LW S1A-S6A (MSEC, 2022).

Tanks associated with the LW S7A Study Area are septic tanks and potable water storage tanks, which comprise inground and above ground tanks of concrete or steel or polyethylene construction. There are 67 tanks which have been identified including: 16 located directly above LW S7A; 27 located directly above the approved longwalls (LW S1A-S6A); and 24 tanks that will not be directly mined beneath by the approved longwalls or proposed LW S7A (MSEC, 2024).

Storage tanks are typically constructed above ground level, and therefore are unlikely to experience the full ground movements resulting from the proposed mining. It is possible, that any buried water pipelines associated with the tanks within the Study Area could be impacted by the ground strains, if they are anchored by the tanks, or by other structures in the ground. Any impacts are expected to be of minor nature and easily repaired (MSEC, 2024).

4.4.10 Farm Fencing

Farm fences are generally flexible in construction and can usually tolerate mine subsidence movements. Impacts to fences may include tension loss and changes to post alignment. The most vulnerable section of farm fences are gates, particularly long gates, or those with latches as they are less tolerant to differential horizontal movements and tilts between the gate posts and the ground. Any impacts on the wire fences or gates are likely to be of a minor nature and relatively easy to remediate by re-tensioning the fencing wire, straightening the fence posts, and if necessary, replacing some sections of fencing (MSEC, 2022).

4.4.11 Farm Dams

There are 44 farm dams which have been identified within the MSEC Subsidence LW S1A-S6A Study Area. The length of farm dams within the MSEC Subsidence Study Area vary between 8 metres and 99 metres and the plan areas vary between 26 m² and 5,047 m². The dams are typically of earthen construction and have been established by localised cut and fill operations within the natural watercourses. The farm dams are generally shallow, with the dam wall heights generally being less than 3 metres (MSEC, 2022).

The maximum predicted final tilt for the farm dams is 0.75 %, which represents a change in grade of 1 in 133. Mining induced tilts can affect the water levels around the perimeters of farm dams, with the freeboard increasing on one side, and decreasing on the other. The predicted changes in freeboard at the farm dams within the Study Area is less than 300 millimetres at 41 dams, and it is unlikely that the majority of the farm dams within the would experience adverse impacts on the storage capacities due to these small changes in freeboard (MSEC, 2022).



There are 20 farm dams (Structure Type D) which have been identified within the MSEC Subsidence LW S7A Study Area. The dams are typically of earthen construction and have been established by localised cut and fill operations within the natural watercourses. The farm dams are generally shallow, with the dam wall heights generally being less than 3 m (MSEC, 2024).

Only one of these dams is directly above proposed LW S7A. This dam is identified as BYR_095_d01 (MSEC 2024) and is 43 m in length with an area 1,003 m². All other 19 dams will experience some subsidence movements due to the extraction of the approved longwalls (LW S1A to LW S6A) (MSEC, 2024).

The predicted changes in freeboard are greater than 500 mm at one dam within the Study Area (i.e. < 1 % of the total) (MSEC, 2022; MSEC 2024). It is possible, that this dam could experience a reduced storage level, however, this could be remediated by increasing the height of the affected dam wall.

The maximum predicted conventional curvatures and strains for farm dams could, result in cracking in the bases and walls of some farm dams within the Study Area.

As per Tahmoor South Land Management Plan, a geotechnical monitoring program including dam inspections will be carried out to ensure that the dams remain safe and serviceable.

4.4.12 Surface Water Extraction

At locations of minimum natural gradient, the predicted subsidence may result in a very slight reduction in surface grade (i.e. less than 1%). This level of change is not expected to result in impacts to overland flow and therefore impacts to registered surface water extraction will be negligible (Tahmoor Coal, 2022; ATC Williams, 2024). As per Tahmoor South Land Management Plan, a geotechnical monitoring program including dam inspections will be carried out to ensure that the dams remain safe and serviceable.

4.4.13 Groundwater Wells and Bores

Temporary lowering of the regional piezometric surface over the subsidence area due to extraction of LW S1A-S7A may occur, with impacts more notable directly over extracted panels. Groundwater levels may reduce up to 33.10 m at GW007445. There are 13 wells that will experience drawdown greater than 2 m, and the affect of LW S7A will not impact any more bores (SLR, 2024).

It is anticipated that groundwater levels may recover within the first 10 years port mining . However, it must be noted the rate of groundwater level recovery is significantly affected by climatic conditions at the time. There will be no discernible change in the beneficial use of the groundwater in the Hawkesbury Sandstone Aquifer (SLR, 2024).

4.4.14 Impact on State Forest

There are no State forests or conservation areas present within the Study Area. The extraction of LW S1A-S7A is not expected to impact the State Forest.

4.4.15 Poultry Sheds

There are 21 poultry sheds within the Study Area (13 of which are directly above LW S6A-S7A). The poultry sheds are lightweight structures up to 113 m in length. The Inghams Bargo Chicken Breeder Complex Production Complex is located on Remembrance Drive,



beyond the finishing ends of LW S2A-S3A. The Inghams Turkey Farm and Bargo Valley Produce poultry sheds are located on Yarran Road, directly above LW S6A-S7A.

The poultry sheds are predicted to experience relatively mild conventional subsidence, tilt, curvatures and strains. Tilt can potentially affect the serviceability of poultry sheds by altering the watering and drainage systems in the sheds. The predicted changes in grade are small and unlikely, therefore, to result in any adverse impacts on the serviceability of the tanks. Mining-induced curvature and ground strain can result in the opening of gaps or cracks in the wall linings of the poultry sheds. The potential for impacts are, however, considered low with all sheds being located directly above LW S6A-S7A.

It is expected that the predicted mine subsidence movements on the poultry sheds and ancillary building structures can be managed by the implementation of suitable management strategies, including visual monitoring during active subsidence (MSEC, 2022).

4.4.16 Horticulture & Permaculture

Irrigation Systems

Irrigation systems are used on commercial and private properties for production of olives, lettuce and other horticultural applications. Elevated troughs are located on Bargo Valley Produce on Yarran Road, directly above LW S7A. Irrigation systems are usually constructed from polyethylene pipes which can tolerate ground movements much larger than the predicted mine subsidence movements within the Study Area. Elevated strains can occur in the pipelines where they are anchored to the ground, or where they are subjected to non-systematic ground movements. Impacts are expected to be minor, including leaking joints, which could be readily remediated (MSEC, 2022).

Glass Houses

No glass houses have been identified within the Study Area, though there are a number of greenhouses and hothouses. As these structures are relatively lightweight in construction, they are usually able to tolerate differential subsidence movements. Impacts can occur, e.g., if the roof materials are designed to be slid open or closed to ventilate the greenhouse or hothouse, differential horizontal movements can cause the frames to crack and prevent sliding of the materials. It is expected that the predicted mine subsidence movements on the greenhouses and hothouses can be managed by the implementation of suitable management strategies, including visual monitoring during active subsidence (MSEC, 2022).

Hydroponic Systems

There are no known hydroponic systems within the Study Area. However, there are a number of greenhouses and hothouses. These buildings may have hydroponic systems. While the water pipes are usually flexible and able to tolerate differential subsidence movements, the drainage of the systems may require monitoring and adjustment, if necessary. It is expected that the predicted mine subsidence movements on the hydroponic systems can be managed by the implementation of suitable management strategies, including visual monitoring during active subsidence (MSEC, 2022).

4.4.17 Agricultural Regional Community Impacts

No other impacts which may affect the regional agricultural community, resources or enterprises have been identified in this assessment.



4.4.18 Cumulative Impacts

Given the previously described impacts are of a minor nature and readily managed through application of appropriate mitigation measures and management strategies, any cumulative impacts on agricultural resources and enterprises are also expected to be minor and readily mitigated.



5.0 Mitigation Measures and Management Strategies

This section describes the proposed mitigation measures and management strategies recommended to minimise potential agricultural impacts. Whilst the majority of impacts on agricultural enterprises and resources have been assessed as negligible, as a matter of best practice, Tahmoor Coal has adopted a number of mitigation measures to further minimise these impacts. A summary of key measures specifically in relation to potential agricultural impact is provided below.

5.1 Soil Resources

Whilst there are no earthworks proposed during the extraction of LW S1A-S7A, in the unlikely event they would be required, gypsum will be applied for any remediation earthworks where sodic subsoils (exchangeable sodium is greater than 5%) are exposed. The application of gypsum will minimise the potential for tunnel erosion to occur on disturbed subsoil. The recommended application rates are shown in **Table 17**.

Table 16 Gypsum Application Rates

Exchangeable Sodium (ESP)	Gypsum Rate per Hectare	Gypsum Rate per Square Metre
5 to 10%	2 to 5 tonnes	0.2 to 0.5 kilograms
Greater than 10%	5 tonnes	0.5 kilograms

It is noted that there are no soil stripping or stockpiling activities anticipated within the Study Area associated with the extraction of LW S1A-S7A.

5.2 Surface Water Resources

Where impacted watercourses have sediment accumulations upstream, it is expected that some of the fractures would be naturally filled over time with sediment during subsequent flow events, as has previously been observed. Where little sediment is present, the impacts are likely to remain for longer periods of time and remediation may be required after the completion of mining, which could include sealing these fractures and voids with grout (MSEC, 2022).

Tahmoor Coal has previously developed Water Management Plans to manage the potential impacts on streams during the mining of longwalls. The management plans include ground monitoring, water quality and pool level monitoring and visual inspections. The plans also commit to remediation of aquatic ecosystems if impacts occur. A Water Management Plan is being prepared as part of the Extraction Plan update for LW S1A-S7A.

5.3 Groundwater Resources

All currently operating groundwater bores are predicted to be impacted by the modelled groundwater drawdown associated with the longwall mining. However, all affected wells have access to water at depths greater than the predicted drawdown and so are not considered to be affected. Tahmoor Coal have committed to “make good” provisions for any groundwater users shown to be adversely affected by mine operations and associated impacts. These commitments are detailed in the Water Management Plan, which is being prepared as part of the Extraction Plan update for LW S1A-S7A.

Although, groundwater quality is not predicted to adversely change, it will continue to be monitored and compared to groundwater quality triggers in the Trigger Action Response



Plans which are prescribed to act as early warning measures for any changes in groundwater quality.

5.4 Tanks

Only minor impacts to tanks are expected, if impacts occur the structure will be repaired in accordance with the *Coal Mine Subsidence Compensation Act 2017*.

5.5 Farm Fencing

In the unlikely event of damage to fence tensioning or farm gates, Tahmoor Coal will remediate the damage in consultation with relevant stakeholders.

5.6 Farm Dams

It is expected that all farm dams in the Study Area can be maintained during the extraction of the proposed longwalls, even if impacts were greater than the predictions or substantial non-conventional movements occurred. Any substantial cracking in the dam bases or walls within the Study Area could be repaired by reinstating with cohesive materials. If any farm dams were to lose water as a result of mining, Tahmoor Coal would provide an alternative water source until the completion of repairs in accordance with the *Coal Mine Subsidence Compensation Act 2017*.



6.0 Monitoring & Consultation

Tahmoor Coal notifies all residents and/or businesses within the 20 mm subsidence area and 35 degree angle of draw prior to commencement of all first and second workings. Comprehensive monitoring of all potentially impacted properties within these areas is undertaken from the commencement of extraction, and continues regularly until extraction is completed. Further monitoring is completed during the post-extraction phase in accordance with the relevant management plan for the residence / business (refer to the Extraction Plan for further details).

Agricultural reports completed during the extraction of Longwalls West 1 to West 4 in the Western Domain showed that no impacts to agricultural resources or enterprises were observed during the extraction of these longwalls. These inspections are based on baseline reporting undertaken by SLR prior to the commencement of extraction. An example of this reporting, the Tahmoor Coal LW W1-W2 Agricultural Inspection Report, is given in **Appendix C**.

Longwall inspections at the end of panels LW S1A, LW S2A and LW S3A also demonstrated that no impacts to agricultural resources or enterprises were observed as a result of longwall extraction.

In relation to the poultry enterprises that exist in the area, that the owner/manager as well as the processor/owner of the birds will be consulted during the preparation of the relevant management plan for each agricultural business to ensure that production plans can be adjusted if required. Monitoring will also be detailed in the relevant management plan, as agreed during consultation with the poultry enterprises.

Tahmoor Coal keeps a complaints register for any public matters resulting from aspects of mine operation. The complaints register is tracked using the compliance program Cority, which allows Tahmoor Coal to enter the details of complaints, as well as details of investigation procedures and outcomes as required. Tahmoor Coal also employs a Consultation Manager to track and undertake consultation with landowners.



7.0 Findings

This Land and Agricultural Resource Assessment has been prepared to be included in Tahmoor Coal's Extraction Plan LW S1A-S7A. The purpose of this Land and Agricultural Resource Assessment is to assess and report on the potential impacts on agricultural resources within and adjacent to the Study Area and recommend mitigation measures to alleviate any identified impacts. The key findings are listed below:

- The majority agricultural land use by area within the Study Area is for small scale cattle and horse grazing areas, which are not major contributors to agricultural income generation. This small-scale grazing is mostly carried out as a land and vegetation management tool. Land available for agricultural land use comprises 27% of the Study Area.
- There are three poultry enterprises within the Study Area, and impacts are expected to be minor and readily remediated using well accepted techniques.
- Post-mining agricultural economic potential in the Study Area is expected to be very similar to pre-mining potential.
- The longwall mining will have minor impacts on surface and groundwater resources relied upon by agriculture, comprising two WALs and six private bores. Any surface or groundwater impacts will be "made good" by Tahmoor Coal.
- Any impacts resulting from longwall mining are expected to be minor and temporary, and can be managed through application of appropriate mitigation measures and management strategies.
- As a result of any impacts being minor, any cumulative impacts on agricultural resources and enterprises are also expected to be minor and can be managed through application of appropriate mitigation measures and management strategies.
- Continuation of longwall mining by Tahmoor Coal will provide considerable positive economic benefits to the local and broader communities. These benefits are far greater than any potential income lost by existing or potential agricultural enterprises.


In summary, the extraction of LW S1A-S7A will provide considerable economic benefits to the region whilst having negligible impact on agricultural resources, enterprises or related industries.



8.0 References

- Australian Bureau of Statistics website accessed July 2025 www.abs.gov.au
- Department of Agriculture, Fisheries, and Forestry website accessed July 2025, www.agriculture.gov.au
- Bureau of Meteorology website accessed July 2025 www.bom.gov.au
- CES (2022), Project Bore Census.
- EMM (2024), Tahmoor South Project – Longwall S7A Modification Report (SSD 8445 Mod 3)
- EMM (2025), Tahmoor South – Water Licensing Strategy 2025 (E250559 RP1)
- Geoterra (2013), Tahmoor South Project Shallow Groundwater Baseline Monitoring
- MSEC (2022), Tahmoor South Project – Extraction Plan for Longwalls S1A to S6A
- MSEC (2024), Tahmoor Coal – Modification No. 3 – LW S7A
- Migration Heritage Centre (2020), website accessed March 2022 www.migrationheritage.nsw.gov.au
- NSW Department of Planning and Infrastructure (2013), State Environmental Planning Policy (Mining, Petroleum Production and Extractive Industries) 2007 Strategic Agricultural Land Map – Sheet STA_41_20130910
- NSW Department of Primary Industries (2025), Beef Cattle Gross Margin Budget Inland Store Weaners
- NSW Department of Primary Industries (2013), NSW Biosecurity Strategy 2013 – 2021
- NSW Department of Primary Industries (2006), Beef Stocking Rates & Farm Size – Hunter Region 2006
- NSW Office of Environment & Heritage (2013) Land and Soil Capability Assessment Scheme 2nd Approximation
- NSW Office of Water (2012), Aquifer Interference Policy
- Profile.id (2025), website accessed July 2025, www.profile.id.com.au
- SLR (2022), Tahmoor Coal Pty Ltd LW S1A-S6A Baseline Private Bore Assessment
- SLR (2022), Tahmoor Coal LW S1A-S6A Extraction Management Plan: Groundwater Technical Report
- SLR (2024), Tahmoor South Mod 3 – LW S7A, Groundwater Impact Assessment
- Tahmoor Coal (2020) Tahmoor Coal Pty Ltd Subsidence Monitoring Program Tahmoor North Western Domain Longwalls West 1 and West 2
- Tahmoor Coal (2025), Tahmoor South Domain Longwalls South 1A – South 6A Water Management Plan
- Wollondilly Shire Council (2020), website accessed July 2025 www.wollondillyshire.com.au





Appendix A Site Inspection Plates

Tahmoor Extraction Plan LW S1A-S7A

Land and Agricultural Resource Assessment

Tahmoor Coal

SLR Project No.: 650.030173.00001

4 August 2025



Site 50 – Cattle grazing



Site 51 – Cattle feedlot 2013, disused cattle feedlot 2017



Site 52 – Pleasure horses



Site 53 – Rural residential



Site 54 – Hydroponic lettuce and poultry sheds



Site 55 – Poultry sheds



Site 56 – Cut flower greenhouse 2013, disused cut flower greenhouses 2017




Site 57 – Poultry sheds



Site 58 – Olives & sheep grazing



Site 59 – Irrigated olives & alpaca stud



Appendix B Agricultural Productivity Gross Margin Data

Tahmoor Extraction Plan LW S1A-S7A

Land and Agricultural Resource Assessment

Tahmoor Coal

SLR Project No.: 650.030173.00001

4 August 2025

BEEF CATTLE GROSS MARGIN BUDGET

July 2025

Enterprise: Inland store weaners sold from self replacing herd on semi improved pasture
Enterprise Unit: 100 cows
Pasture: Semi improved pasture

INCOME:			Standard Budget	Your Budget
42	steer weaners @	\$1,118 /hd	\$46,956	
21	heifer weaners @	\$748 /hd	\$15,698	
1	CFA Bull @	\$2,620 /hd	\$2,620	
6	CFA cows @	\$1,538 /hd	\$9,228	
0	Dry cows @	\$1,538 /hd	\$0	
13	Other culls @	\$1,538 /hd	\$19,993	
Total	83			
A. Total Income:			\$94,494	

VARIABLE COSTS:

Replacements	1 Bull @	\$6,000 /hd	\$6,000	
Livestock and vet costs: see section titled beef health costs for details.			\$2,189	
Hay & Grain or silage. Low level supplementary feeding for 3 months			\$4,950	
Drought feeding costs.			\$0	
Pasture maintenance (372 Ha of semi improved native pasture)			\$9,998	
Livestock selling cost (see assumptions on next page)			\$8,759	
B. Total Variable Costs:			\$31,895	
GROSS MARGIN (A-B)			\$62,599	
GROSS MARGIN/COW			\$625.99	
GROSS MARGIN/DSE*			\$42.07	
GROSS MARGIN/HA			\$168.28	

Change in gross margin (\$/cow) for change in price &/or the weight of sale stock

(Note: Table assumes that the price and weight of other stock changes in the same proportion as steers. As an example if steer sale price falls to 410c/kg and steer weight to 240 kg, gross margin would fall to \$514 per cow. This assumes that price and weight of all other sale stock falls by the same percentage.

Liveweight (kg) of steer weaners sold	Steer sale price cents/kg live					GM \$ per Cow
	390	410	430	450	470	
Steer wt.						
-40 kgs 220	406	445	485	524	564	
-20 kgs 240	473	514	555	597	638	
0 260	541	583	626	669	711	
+20 kgs 280	608	652	697	741	785	
+40 kgs 300	675	721	767	813	859	

An increase of 5% in weaning percentage increases gross margin per cow by \$41.86

assumptions

Inland store weaners sold from self replacing herd on semi improved pasture

Enterprise unit is 100 cows weighing on average 540 kg
Fertility rate: 84% - conception rate 90%

at 9 months	260 kg	@430c/kg	live weight
10 months	230 kg	@325c/kg	live weight
replacement.			
10 years	250 kg	@615c/kg	dressed weight
cows culled	"	"	"
use	420 kg	@624c/kg	dressed weight

yard dues \$10.00/hd; MLA levy \$5/hd; average freight cost
NLIS tags \$3.60

1 LSU

21 sold


21 retained
for breeding

42 sold

grass.
or fattened for the local trade market.

March to June from lighter country or at heavier stocking rates than
improved areas with some supplementary feed in normal years.
most drought susceptible.

Primary Industries Farm Enterprise Budget Series



Appendix C Example Inspection Report

Tahmoor Extraction Plan LW S1A-S7A

Land and Agricultural Resource Assessment

Tahmoor Coal

SLR Project No.: 650.030173.00001

4 August 2025

Table 1 Property Owner

Tahmoor Coal LW W1 – W2 Agricultural Inspections			20/07/2020
Mining Sequence	During Mining Inspection	Property & Site	XXXXXX
Easting & Northing	XXXXXX		
Current Land Use	Sheep grazing grass pasture		
Dominant Landform	Lower slope to creek flat		
Soil Surface Condition	Uneven surface +/- 150 millimetres in places		
Rainfall Since Last Inspection	15.24 mm		
Baseline Property Condition			
Erosion Presence	Nil	Minor	Widespread
Boundary Fence Condition	Good	Stock proof	Not stock proof
Boundary Fence Posts	Straight	Minor lean	Major lean
Boundary Fence Wire	Full Tension	Minor sag	Major sag
Internal Fence Condition	Good	Stock proof	Not stock proof
Internal Fence Posts	Straight	Minor lean	Major lean
Internal Fence Wire	Full Tension	Minor sag	Major sag
Paddock Gate Condition	Good	Stock proof	Not stock proof
Out-Building Condition	Useable	Unusable	N/A
Paddock Dams	Holding Water	No Water	N/A
Surface Slumping	Nil	Yes	<i>If yes, depth and width</i>
Surface Cracking	Nil	Yes	<i>If yes, depth and width</i>
Vegetation Dieback	Nil	Yes	Eucalypt
Additional Comments	<p><u>February Comments (02/03/2020):</u> No observed changes since January report Significant rainfall has however resulted in grass and shrub growth</p> <p><u>March Comments (27/03/2020):</u> No observed changes since February report Increased vegetation growth</p> <p><u>April Comments (24/04/20):</u> No observed changes since March report</p> <p><u>May Comments (21/05/20):</u> Increased vegetation growth along riverbank due to recent rain. Dieback of paddock vegetation has begun as the change of season approaches.</p> <p><u>June Comments (30/06/20):</u> Seasonal changes corresponding with mid-winter timing</p>		




Property Owner east towards sheds (left: June 20; right: current)



Property Owner south towards Stonequarry Creek (left: June 20; right: current)



Property Owner ground surface (left: June 20, right: current)



Making Sustainability Happen